

ADDENDUM

To: All Concerned

Addendum No: Two (2)

Re : Replacement of Roofing Shingles
& Misc, Accessories Due to
Wind Damage 59 D.U.
MO 13-1, 2, 4, 5 & 7

Date of Issue July 31, 2020

Documents Date: July 2020

Project No. ICN 2005002-01

For: Housing Authority of Poplar Bluff

This Addendum forms a part of the Contract Documents and supplements and modifies them as follows: Bidders shall acknowledge receipt of this Addendum on Page BF -2 of the Bid Form.

Specifications

Item No. 1

Bid Form

See Attached Revised Bid Form

Item No. 2:

Division 7 – Thermal & Moisture Protection Section 07310 – Fiberglass Asphalt Shingles

Page 07310-2, Paragraph 2-2, Subparagraph D.

Add the following to this subparagraph.

Winterguard (leak barrier) shall be used for complete Shingle slope replacements whether covered by the Insurance scope of Work Breakdown or by Alternate Bids No. 1 through No. 9. Refer to the Revised Bid Form.

Item No. 3

Division 7 – Thermal & Moisture Protection
Section 07310 – Fiberglass Asphalt shingles

Page 07310-3, Paragraph 3.2, Subparagraph F
Delete this paragraph in its entirety.

End of Addendum